



SAH
JH 3
12-11-01

RECEIVED

OCT 17 2001

PATENT

TC 1700

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Akihiro MUROGUCHI et al.

Serial No.: 09/917,911

Filed: July 31, 2001

Group Art Unit: 1754

Examiner: Unassigned

For: TRACE OXYGEN MEASURING APPARATUS AND MEASURING METHOD

INFORMATION DISCLOSURE STATEMENT

Commissioner for Patents
Washington, D.C. 20231

Sir:

PLEASE ACCEPT THIS AS
AUTHORIZATION TO DEBIT
OR CREDIT FEES TO
DEP ACCT. 16-0331
PARKHURST & WENDEL

Pursuant to 37 C.F.R. §1.56, the attention of the Patent and Trademark Office is hereby directed to the reference listed on the attached Form PTO-1449. A copy of the reference listed on Form PTO-1449 is attached. A brief explanation of the reference is at page 4, column 0008 of the specification.


The above information is presented so that the Patent and Trademark Office may, in the first instance, determine any materiality thereof to the claimed invention. See 37 C.F.R. 1.104(a) and 1.106(b) concerning the PTO duty to consider and use any such information. It is respectfully requested that the information be expressly considered during the prosecution of this application, and that the reference be made of record

therein and appear among the "References Cited" on any patent to issue therefrom.

Respectfully submitted,

PARKHURST & WENDEL, L.L.P.

October 16, 2001
Date



Roger W. Parkhurst
Registration No. 25,177

RWP/mhs

Attorney Docket No. WATK:214

PARKHURST & WENDEL, L.L.P.
1421 Prince Street, Suite 210
Alexandria, Virginia 22314-2805
Telephone: (703) 739-0220